

[Home](#) > [List of Issues](#) > [Table of Contents](#)

[Browse journal](#)

[View all volumes and issues](#)

Current issue

[Latest articles](#)

[Most read articles](#)


[Most cited articles](#)

[Authors and submissions](#)

[Subscribe](#)

[Journal information](#)

Volume 26, Issue 17-18, 2012



- [Taylor & Francis](#)
- [Sample copy](#)
- [Alert me](#)
 - [TOC email alert](#)
 - [TOC RSS feed](#)

Journal of Electromagnetic Waves and Applications



ISSN

0920-5071 (Print), 1569-3937 (Online)

Publication Frequency

18 issues per year

-
- [Add to shortlist](#)
- [Recommend to:](#)
 - [A friend](#)
 - [A librarian](#)

[To select/unselect all items click here](#)
[Choose an action](#)

- Add to shortlist
- Download citation

Articles



Compact lowpass filter with ultra-wide stopband rejection using meandered-slot dumbbell resonator

H.L. Cao, W.B. Ying, H. Li & S.Z. Yang
pages 2203-2210

View full text Download full text
Full access

- DOI:10.1080/09205071.2012.729501
- Version of record first published: 01 Oct 2012
- Citations: 0
- Article Views: 296

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Printed multi-resonant antenna embedding two inductors in radiating strips for internal mobile phone LTE/WWAN operation

Y.-L. Ban, J.-H. Chen, J.L.-W. Li & W. Hu
pages 2211-2221

View full text Download full text
Full access

- DOI:10.1080/09205071.2012.729558
- Version of record first published: 02 Oct 2012
- Citations: 0
- Article Views: 100

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Compact coupled-fed wideband antenna for internal eight-band LTE/WWAN tablet computer applications

Y.-L. Ban, S.-C. Sun, J.L.-W. Li & W. Hu
pages 2222-2233

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.730655
- **Version of record first published:** 02 Oct 2012
- **Citations:** 0
- **Article Views:** 93

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full Access](#)



Compact lowpass filter with wide stopband using novel windmill resonator

H. Cao, W. Ying, H. Li & S. Yang
pages 2234-2241

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.732024
- **Version of record first published:** 08 Oct 2012
- **Citations:** 0
- **Article Views:** 90

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full Access](#)



Dual-band dual-polarized printed antenna for wireless communication

W. Hu, X.-S. Ren, B. Li, Y.-Z. Yin, X. Yang & J.-H. Yang
pages 2242-2248

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.732025

- **Version of record first published:** 08 Oct 2012
- **Citations:** 0
- **Article Views:** 110

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Compact broadband CPW-fed ZOR antennas with gradual change structures

W.-Q. Cao, A.J. Liu, B.-N. Zhang, T.-B. Yu & Z.-P. Qian
pages 2249-2255

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.732535
- **Version of record first published:** 08 Oct 2012
- **Citations:** 0
- **Article Views:** 60

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Wall clutter mitigation in through-the-wall MIMO radar application

X. Sun, B.Y. Lu, T. Jin & Z.M. Zhou
pages 2256-2266

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.732554
- **Version of record first published:** 08 Oct 2012
- **Citations:** 0
- **Article Views:** 67

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



The extreme beamsquint technique to minimize the reflection coefficient of very small aperture radial line slot array antennas

T. Purnamirza, T.A. Rahman & M.H. Jamaluddin
pages 2267-2276

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.733491
- **Version of record first published:** 10 Oct 2012
- **Citations:** 0
- **Article Views:** 41

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



New compact tri-band bandpass filter with transmission zeros designed by using stub-loaded resonators

C.-S. Ye, Y.-K. Su & M.-H. Weng
pages 2277-2283

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.733494
- **Version of record first published:** 10 Oct 2012
- **Citations:** 0
- **Article Views:** 58

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Design of a compact and sharp-rejection low-pass filter with a wide stopband

R.-Y. Yang, Y.-L. Lin, C.-Y. Hung & C.-C. Lin
pages 2284-2290

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.733495
- **Version of record first published:** 09 Oct 2012
- **Citations:** 0
- **Article Views:** 50

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full access](#)



Band-notched planar UWB antenna using unit cells of frequency selective surfaces

J.-Y. Kim, J.H. Choi & C.W. Jung
pages 2291-2303

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.733497
- **Version of record first published:** 09 Oct 2012
- **Citations:** 0
- **Article Views:** 64

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full access](#)



Forward-looking bistatic SAR imaging based on high-order range equation and high-order phase compensation

S.S. Zhang & J. Li
pages 2304-2314

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.733499
- **Version of record first published:** 17 Oct 2012
- **Citations:** 0

- **Article Views:** 42

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Hiding inside an arbitrarily shaped metal pit using homogeneous metamaterials

W. Zhu, M. Premaratne & Y. Huang

pages 2315-2322

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.733501
- **Version of record first published:** 10 Oct 2012
- **Citations:** 0
- **Article Views:** 61

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Refractive properties of metamaterial composed of InGaAs layers with alternating doping densities

I. Ilić, P.P. Beličev, V. Milanović, J. Radovanović & Lj. Hadžievski

pages 2323-2331

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.733507
- **Version of record first published:** 10 Oct 2012
- **Citations:** 0
- **Article Views:** 26

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



A novel 140-GHz sheet-beam folded-waveguide traveling-wave tube

M.H. Zhang, Y.Y. Wei, G. Guo, L.N. Yue, Y. Hou, S.M. Wang, J. Xu, Y.B. Gong & W.X. Wang
pages 2332-2340

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.734032
- **Version of record first published:** 19 Oct 2012
- **Citations:** 0
- **Article Views:** 27

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Power detection method using a virtual ground node for RF CMOS power amplifier applications

Donghwan Seo, Changyun Lee, Jonghoon Park & Changkun Park
pages 2341-2347

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.734033
- **Version of record first published:** 11 Oct 2012
- **Citations:** 0
- **Article Views:** 40

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Tri-band four elements MIMO antenna system for WLAN and WiMAX application

R. Karimian, M. Soleimani & S.M. Hashemi

pages 2348-2357

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.734433
- **Version of record first published:** 15 Oct 2012
- **Citations:** 0
- **Article Views:** 66

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full access](#)



Compact broadband microstrip rat-race couplers using microstrip/slotline phase inverters for arbitrary power-dividing ratios

F. Lin, Q.-X. Chu & S.W. Wong

pages 2358-2364

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.734437
- **Version of record first published:** 15 Oct 2012
- **Citations:** 0
- **Article Views:** 48

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full access](#)



Two-arm sinuous antenna for RFID ubiquitous sensors and wireless applications

Y. Amin, Q. Chen, L.R. Zheng & H. Tenhunen

pages 2365-2371

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.734438
- **Version of record first published:** 11 Oct 2012
- **Citations:** 0
- **Article Views:** 37

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



A compact stacked Archimedean spiral antenna

Jonathan M. Rigelsford
pages 2372-2380

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.734949
- **Version of record first published:** 15 Oct 2012
- **Citations:** 0
- **Article Views:** 48

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



A 60/77 GHz dual-band bandpass filter with MMIC technology

H.-L. Kao, C.-S. Yeh & H.-C. Chiu
pages 2381-2389

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.734950
- **Version of record first published:** 15 Oct 2012
- **Citations:** 0
- **Article Views:** 34

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract

- [References](#)
- [Related](#)
- [Full access](#)



A compact and high isolation dual-mode dual-band bandpass filter with tunable transmission zeros

J. Xu, C. Miao & W. Wu
pages 2390-2397

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.735781
- **Version of record first published:** 17 Oct 2012
- **Citations:** 0
- **Article Views:** 39

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full access](#)



Electromagnetic scattering from both finite semi-circular channels and bosses in a conducting plane: TM case

S.-J. Lee, D.-J. Lee, W.-S. Lee & J.-W. Yu
pages 2398-2409

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.735782
- **Version of record first published:** 17 Oct 2012
- **Citations:** 0
- **Article Views:** 26

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
- [Full access](#)



Adaptive desirability function for multiobjective design of thinned array antennas

S.G. Tanyer, A.E. Yilmaz & F. Yaman

pages 2410-2417

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.735784
- **Version of record first published:** 17 Oct 2012
- **Citations:** 0
- **Article Views:** 18

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
-



A small broadband switched-beam Cross-PIFA for m-WiMAX applications

C.D. Nikolopoulos & C.N. Capsalis

pages 2418-2425

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.735787
- **Version of record first published:** 18 Oct 2012
- **Citations:** 0
- **Article Views:** 36

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- [Abstract](#)
- [References](#)
- [Related](#)
-



Performance of natural frequency-based target detection in frequency domain

J.-H. Lee & S.-H. Jeong

pages 2426-2437

[View full text](#)[Download full text](#)

[Full access](#)

- **DOI:**10.1080/09205071.2012.735789
- **Version of record first published:** 17 Oct 2012
- **Citations:** 0
- **Article Views:** 48

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from

publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Simultaneous measurement of curvature and temperature with fiber taper-based MZI containing fiber Bragg grating

Q.Q. Meng, X.Y. Dong, Y. Zhou, K. Ni, Z.M. Chen, C.L. Zhao & S.Z. Jin
pages 2438-2444

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.735792
- **Version of record first published:** 17 Oct 2012
- **Citations:** 0
- **Article Views:** 45

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-



Negative refraction in the terahertz region by using plasma metamaterials

B. Guo
pages 2445-2451

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.737450
- **Version of record first published:** 19 Oct 2012
- **Citations:** 0
- **Article Views:** 58

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract

- References
- Related
-



Photo-plasma-switched radiation antenna

C.-H. Chen, K.-Y. Huang, M.-H. Wu & Y.-C. Huang
pages 2452-2458

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.737910
- **Version of record first published:** 19 Oct 2012
- **Citations:** 0
- **Article Views:** 47

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- Abstract
- References
- Related
-

Editorial Board



JOURNAL OF ELECTROMAGNETIC WAVES AND APPLICATIONS

page ebi

[View full text](#)[Download full text](#)
[Full access](#)

- **DOI:**10.1080/09205071.2012.742658
- **Version of record first published:** 30 Oct 2012
- **Citations:** 0
- **Article Views:** 61

Article usage statistics combine cumulative total PDF downloads and full-text HTML views from publication date (but no earlier than 25 Jun 2011, launch date of this website) to 26 Feb 2013. Article views are only counted from this site. Although these data are updated every 24 hours, there may be a 48-hour delay before the most recent numbers are available.

Further Information

- First Page Preview
- Related
-



To select/unselect all items click here
 Choose an action

- Add to shortlist

- [Download citation](#)